



Product Portfolio



Discover our reusable plastic
packaging solutions
for a more **efficient and sustainable**
supply chain

DS catalogue




Display Bin 76

Specifications

More info?



External	800 x 600 x 765 mm
Internal	748 x 548 x 600 mm
Folded	800 x 600 x 300 mm
Incremental height	285 mm (folded)
Weight	23,4 kg
Volume	246 l
Loading capacity	170 kg
Loading quantities	440 units (40ft HC) 528 units (truck)
Base	pallet
Options available	rising base



1/2 Display Bin 77

Specifications

More info?



External	1000 x 600 x 777 mm
Internal	948 x 548 x 615 mm
Folded	1000 x 600 x 314 mm
Incremental height	299 mm (folded)
Weight	30 kg
Volume	315 l
Loading capacity	230 kg
Loading quantities	352 units (40ft HC) 416 units (truck)
Base	pallet
Options available	rising base



Display Bin 96

Specifications

More info?



External	800 x 600 x 965 mm
Internal	748 x 548 x 800 mm
Folded	800 x 600 x 500 mm
Incremental height	485 mm (folded)
Weight	26,5 kg
Volume	328 l
Loading capacity	230 kg
Loading quantities	275 units (40ft HC) 330 units (truck)
Base	pallet
Options available	rising base



Display Bin 108

Specifications

More info?



External	800 x 600 x 1090 mm
Internal	748 x 548 x 925 mm
Folded	800 x 600 x 610 mm
Incremental height	560 mm (folded)
Weight	31,7 kg
Volume	380 l
Loading capacity	250 kg
Loading quantities	220 units (40ft HC) 264 units (truck)
Base	wheels
Options available	rising base



Display Bin 109

Specifications

More info?



External	800 x 600 x 1088 mm
Internal	760 x 560 x 920 mm
Folded	800 x 600 x 428 mm
Incremental height	389 mm (folded)
Weight	34,6 kg
Volume	391,5 l
Loading capacity	250 kg
Loading quantities	318 units (40ft HC) 396 units (truck)
Base	wheels
Options available	rising base



1/4 Display Bin 111

Specifications

More info?



External	600 x 400 x 1112 mm
Internal	560 x 360 x 935 mm
Folded	600 x 400 x 457 mm
Incremental height	417 mm (folded)
Weight	19 kg
Volume	188,5 l
Loading capacity	130 kg
Loading quantities	660 units (40ft HC) 780 units (truck)
Base	pallet or wheels
Options available	rising base



4316 Wood Look AL

Specifications

More info?



External	400 x 300 x 163 mm
Internal	372 x 272 x 156 mm
Folded	400 x 300 x 33.5 mm
Incremental height	29,5 mm (folded)
Weight	0,9 kg
Volume	15,8 l
Loading capacity	10 kg
Loading quantities	17.600 units (40ft HC) 20.800 units (truck) 800 units/pallet



6419 Wood Look AL

Specifications

More info?



External	600 x 400 x 188 mm
Internal	572 x 372 x 181 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm (folded)
Weight	1,75 kg
Volume	38,6 l
Loading capacity	20 kg
Loading quantities	8.800 units (40ft HC) 10.400 units (truck) 400 units/pallet



6411 Wood Look AL

Specifications

More info?



External	600 x 400 x 113 mm
Internal	572 x 372 x 106 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm (folded)
Weight	1,3 kg
Volume	22,6 l
Loading capacity	10 kg
Loading quantities	8.800 units (40ft HC) 10.400 units (truck) 400 units/pallet



6422 Wood Look AL

Specifications

More info?



External	600 x 400 x 218 mm
Internal	572 x 372 x 210 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm (folded)
Weight	1,9 kg
Volume	44,8 l
Loading capacity	20 kg
Loading quantities	8.800 units (40ft HC) 10.400 units (truck) 400 units/pallet



6416 Wood Look AL

Specifications

More info?



External	600 x 400 x 163 mm
Internal	572 x 372 x 156 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm (folded)
Weight	1,6 kg
Volume	33,2 l
Loading capacity	18 kg
Loading quantities	8.800 units (40ft HC) 10.400 units (truck) 400 units/pallet



6408 Wood Look AL US

Specifications

More info?



External	600 x 400 x 105 mm
Internal	572 x 372 x 98 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm (folded)
Weight	1,25 kg
Volume	20,8 l
Loading capacity	8 kg
Loading quantities	8.800 units (40ft HC) 10.400 units (truck) 400 units/pallet



6416 Wood Look AL US

Specifications

More info?



External	600 x 400 x 179 mm
Internal	572 x 372 x 172 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm (folded)
Weight	1,7 kg
Volume	36,6 l
Loading capacity	18 kg
Loading quantities	8.800 units (40ft HC) 10.400 units (truck) 400 units/pallet



6411 Wood Look AL US

Specifications

More info?



External	600 x 400 x 129 mm
Internal	572 x 372 x 122 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm (folded)
Weight	1,41 kg
Volume	26 l
Loading capacity	10 kg
Loading quantities	8.800 units (40ft HC) 10.400 units (truck) 400 units/pallet



6419 Wood Look AL US

Specifications

More info?



External	600 x 400 x 206 mm
Internal	572 x 372 x 199 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm (folded)
Weight	1,88 kg
Volume	42,4 l
Loading capacity	20 kg
Loading quantities	8.800 units (40ft HC) 10.400 units (truck) 400 units/pallet



6413 Wood Look AL US

Specifications

More info?



External	600 x 400 x 154 mm
Internal	572 x 372 x 147 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm (folded)
Weight	1,56 kg
Volume	31,3 l
Loading capacity	18 kg
Loading quantities	8.800 units (40ft HC) 10.400 units (truck) 400 units/pallet



6423 Wood Look AL US

Specifications

More info?



External	600 x 400 x 245 mm
Internal	572 x 371 x 238 mm
Folded	600 x 400 x 52 mm
Incremental height	48 mm (folded)
Weight	2,35 kg
Volume	50,6 l
Loading capacity	20 kg
Loading quantities	5.390 units (40ft HC) 6.370 units (truck) 245 units/pallet



4311 Press Lock

Specifications

More info?



External	400 x 300 x 115 mm
Internal	372 x 272 x 104 mm
Folded	400 x 300 x 39 mm
Incremental height	33 mm (folded)
Weight	0,8 kg
Volume	10,5 l
Loading capacity	10 kg
Loading quantities	15.400 units (40ft HC) 18.200 units (truck) 700 units/pallet



6416 Press Lock

Specifications

More info?



External	600 x 400 x 165 mm
Internal	572 x 372 x 154 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,6 kg
Volume	33 l
Loading capacity	15 kg
Loading quantities	7.700 units (40ft HC) 9.100 units (truck) 350 units/pallet



4317 Press Lock

Specifications

More info?



External	400 x 300 x 170 mm
Internal	372 x 272 x 159 mm
Folded	400 x 300 x 39 mm
Incremental height	33 mm (folded)
Weight	1 kg
Volume	16 l
Loading capacity	10 kg
Loading quantities	15.400 units (40ft HC) 18.200 units (truck) 700 units/pallet



6419 Press Lock

Specifications

More info?



External	600 x 400 x 190 mm
Internal	572 x 372 x 179 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,6 kg
Volume	38 l
Loading capacity	20 kg
Loading quantities	7.700 units (40ft HC) 9.100 units (truck) 350 units/pallet



6411 Press Lock

Specifications

More info?



External	600 x 400 x 115 mm
Internal	572 x 372 x 104 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,3 kg
Volume	22 l
Loading capacity	15 kg
Loading quantities	7.700 units (40ft HC) 9.100 units (truck) 350 units/pallet



6423 Press Lock

Specifications

More info?



External	600 x 400 x 235 mm
Internal	572 x 372 x 224 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,9 kg
Volume	48 l
Loading capacity	20 kg
Loading quantities	7.700 units (40ft HC) 9.100 units (truck) 350 units/pallet



4317 Active Lock

Specifications

More info?



External	400 x 300 x 170 mm
Internal	372 x 272 x 159 mm
Folded	400 x 300 x 39 mm
Incremental height	33 mm (folded)
Weight	1 kg
Volume	16 l
Loading capacity	10 kg
Loading quantities	15.400 units (40ft HC) 18.200 units (truck) 700 units/pallet



6413 Active Lock

Specifications

More info?



External	600 x 400 x 146 mm
Internal	572 x 372 x 135 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,6 kg
Volume	29 l
Loading capacity	12 kg
Loading quantities	7.700 units (40ft HC) 9.100 units (truck) 350 units/pallet



6408 Active Lock

Specifications

More info?



External	600 x 400 x 105 mm
Internal	572 x 372 x 96 mm
Folded	600 x 400 x 35 mm
Incremental height	29 mm (folded)
Weight	1,3 kg
Volume	20 l
Loading capacity	8 kg
Loading quantities	8.910 units (40ft HC) 10.530 units (truck) 405 units/pallet



6416 Active Lock

Specifications

More info?



External	600 x 400 x 181 mm
Internal	572 x 372 x 170 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,8 kg
Volume	36 l
Loading capacity	18 kg
Loading quantities	7.700 units (40ft HC) 9.100 units (truck) 350 units/pallet



6411 Active Lock

Specifications

More info?



External	600 x 400 x 131 mm
Internal	572 x 372 x 122 mm
Folded	600 x 400 x 35 mm
Incremental height	29 mm (folded)
Weight	1,6 kg
Volume	26 l
Loading capacity	10 kg
Loading quantities	8.910 units (40ft HC) 10.530 units (truck) 405 units/pallet



6419 Active Lock

Specifications

More info?



External	600 x 400 x 208 mm
Internal	572 x 372 x 197 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,9 kg
Volume	42 l
Loading capacity	20 kg
Loading quantities	7.700 units (40ft HC) 9.100 units (truck) 350 units/pallet



6423 Active Lock

Specifications

More info?



External	600 x 400 x 233 mm
Internal	572 x 372 x 222 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,9 kg
Volume	48 l
Loading capacity	20 kg
Loading quantities	7.700 units (40ft HC) 9.100 units (truck) 350 units/pallet



6425 Active Lock

Specifications

More info?



External	600 x 400 x 259 mm
Internal	572 x 372 x 250 mm
Folded	600 x 400 x 61 mm
Incremental height	55 mm (folded)
Weight	2,3 kg
Volume	53 l
Loading capacity	24 kg
Loading quantities	4.730 units (40ft HC) 5.590 units (truck) 215 units/pallet



6428 Active Lock

Specifications

More info?



External	600 x 400 x 287 mm
Internal	572 x 372 x 278 mm
Folded	600 x 400 x 61 mm
Incremental height	55 mm (folded)
Weight	2,5 kg
Volume	59 l
Loading capacity	24 kg
Loading quantities	4.730 units (40ft HC) 5.590 units (truck) 215 units/pallet



Egg 6317

Specifications

More info?



External	610 x 337 x 182 mm
Internal	588 x 309 x 165 mm
Folded	610 x 337 x 48 mm
Incremental height	42 mm (folded)
Weight	1,5 kg
Volume	30 l
Loading capacity	9 kg
Loading quantities	7.224 units (40ft HC) 8.736 units (truck) 336 units/pallet (truck)



Egg 6332

Specifications

More info?



External	610 x 337 x 320 mm
Internal	588 x 309 x 298 mm
Folded	610 x 337 x 77 mm
Incremental height	71 mm (folded)
Weight	2,3 kg
Volume	54 l
Loading capacity	18 kg
Loading quantities	4.257 units (40ft HC) 5.148 units (truck) 198 units/pallet (truck)



4318 Nestable

Specifications

More info?



External	400 x 300 x 180 mm
Internal	387 x 277 x 144 mm
Incremental height	53 mm (nested)
Weight	1 kg
Volume	10 l
Loading capacity	10 kg
Loading quantities	9.240 units (40ft HC) 10.920 units (truck) 420 units/pallet



6419 Nestable

Specifications

More info?



External	600 x 400 x 198 mm
Internal	575 x 376 x 173 mm
Incremental height	46 mm (nested)
Weight	1,6 kg
Volume	37 l
Loading capacity	20 kg
Loading quantities	5.390 units (40ft HC) 6.370 units (truck) 245 units/pallet



6410 Nestable

Specifications

More info?



External	600 x 400 x 106 mm
Internal	566 x 366 x 80 mm
Incremental height	40 mm (nested)
Weight	1,1 kg
Volume	16 l
Loading capacity	7 kg
Loading quantities	6.380 units (40ft HC) 7.540 units (truck) 290 units/pallet



6424 Nestable

Specifications

More info?



External	600 x 400 x 250 mm
Internal	576 x 376 x 227 mm
Incremental height	65 mm (nested)
Weight	1,9 kg
Volume	45 l
Loading capacity	21 kg
Loading quantities	3.740 units (40ft HC) 4.420 units (truck) 170 units/pallet



6416 Nestable

Specifications

More info?



External	600 x 400 x 165 mm
Internal	573 x 376 x 140 mm
Incremental height	40 mm (nested)
Weight	1,4 kg
Volume	30 l
Loading capacity	12 kg
Loading quantities	6.270 units (40ft HC) 7.410 units (truck) 285 units/pallet



E-commerce 6425

Specifications

More info?



External	600 x 400 x 252 mm
Internal	576 x 377 x 228 mm
Incremental height	65 mm (nested)
Weight	1,55 kg
Volume	45 l
Loading capacity	15 kg
Loading quantities	4.180 units (40ft HC)
	4.940 units (truck)
	190 units/pallet



E-commerce 6428

Specifications

More info?



External	600 x 400 x 288 mm
Internal	573 x 374 x 263 mm
Incremental height	56 mm (nested)
Weight	1,9 kg
Volume	52 l
Loading capacity	18 kg
Loading quantities	4.180 units (40ft HC)
	3.640 units (truck)
	140 units/pallet



E-commerce 6430

Specifications

More info?



External	600 x 400 x 300 mm
Internal	570 x 373 x 272 mm
Incremental height	98 mm (nested)
Weight	2 kg
Volume	54 l
Loading capacity	21 kg
Loading quantities	2.420 units (40ft HC)
	2.860 units (truck)
	110 units/pallet



4317 Meat

Specifications

More info?



External	400 x 300 x 170 mm
Internal	372 x 272 x 159 mm
Folded	400 x 300 x 39 mm
Incremental height	33 mm (folded)
Weight	1 kg
Volume	16 l
Loading capacity	10 kg
Loading quantities	15.400 units (40ft HC)
	18.200 units (truck)
	700 units/pallet



6411 Meat

Specifications

More info?



External	600 x 400 x 131 mm
Internal	572 x 372 x 122 mm
Folded	600 x 400 x 35 mm
Incremental height	29 mm (folded)
Weight	1,6 kg
Volume	26 l
Loading capacity	10 kg
Loading quantities	8.910 units (40ft HC)
	10.530 units (truck)
	405 units/pallet



6419 Meat

Specifications

More info?



External	600 x 400 x 208 mm
Internal	572 x 372 x 197 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,9 kg
Volume	42 l
Loading capacity	20 kg
Loading quantities	7.700 units (40ft HC)
	9.100 units (truck)
	350 units/pallet



285 Crystal Clear Tray

Specifications

More info?



External	600 x 400 x 285 mm
Internal	528 x 390 x 240 mm
Folded	600 x 400 x 70 mm
Incremental height	66 mm (folded)
Weight	2,26 kg
Volume	49,4 l
Loading capacity	36 kg
Loading quantities	3.960 units (40ft HC)
	4.680 units (truck)
	180 units/pallet
Non food-grade	



300 Crystal Clear Tray

Specifications

More info?



External	600 x 400 x 300 mm
Internal	528 x 390 x 255 mm
Folded	600 x 400 x 70 mm
Incremental height	66 mm (folded)
Weight	2,3 kg
Volume	52,5 l
Loading capacity	36 kg
Loading quantities	3.960 units (40ft HC)
	4.680 units (truck)
	180 units/pallet
Non food-grade	



370 Crystal Clear Tray

Specifications

More info?



External	600 x 400 x 370 mm
Internal	528 x 390 x 325 mm
Folded	600 x 400 x 70 mm
Incremental height	66 mm (folded)
Weight	2,4 kg
Volume	66,9 l
Loading capacity	36 kg
Loading quantities	3.960 units (40ft HC)
	4.680 units (truck)
	180 units/pallet
Non food-grade	



4309 Crystal Clear Crate

Specifications

More info?



External	400 x 300 x 96 mm
Internal	383 x 274 x 87 mm
Folded	400 x 300 x 41 mm
Incremental height	35 mm (folded)
Weight	0,75 kg
Volume	8,8 l
Loading capacity	7 kg
Loading quantities	15.400 units (40ft HC)
	18.200 units (truck)
	700 units/pallet
Non food-grade	



6432 Crystal Clear Crate

Specifications

More info?



External	600 x 400 x 329 mm
Internal	580 x 385 x 320 mm
Folded	600 x 400 x 76 mm
Incremental height	70 mm (folded)
Weight	2,2 kg
Volume	71,5 l
Loading capacity	10 kg
Loading quantities	3.630 units (40ft HC)
	4.290 units (truck)
	165 units/pallet
Non food-grade	



Crystal Clear Tray Display

Specifications

More info?



External	600 x 400 mm
Height	Depending on the tray
Non food-grade	



Crystal Clear Crate Display

Specifications

More info?



External	600 x 400 mm
Height	Depending on the crate
Non food-grade	



Modular Display

Specifications

More info?



	1 Row	2 Rows	3 Rows
Height (max)	878 mm	1043 mm	1208 mm
Height (min)	716 mm	716 mm	716 mm
Length	600 mm	600 mm	600 mm
Width	370 mm	740 mm	1110 mm
Weight	5,4 kg	12,8 kg	20,7 kg
Loading Q	900 kits	450 kits	252 kits



Flat Display

Specifications

More info?



External	1230 x 1230 x 740 mm
Weight	63,7 kg
Loading capacity	120 kg
Loading quantities	99 kits (40ft HC)



Angled Display

Specifications

More info?



External	1230 x 1050 x 1300 mm
Weight	40,3 kg
Loading capacity	120 kg
Loading quantities	63 kits (40ft HC)



Pyramid Display

Specifications

More info?



External	3120 x 1230 x 1045 mm
Weight	41,4 kg
Loading capacity	120 kg
Loading quantities	45 kits (40ft HC)



1/4 Dolly

Specifications

More info?



External	600 x 400 x 150 mm
Incremental height	130 mm (nested)
Weight	4 kg
Loading capacity	250 kg
Loading quantities	2.210 units per truck
Base	wheels
Options available	attachable handle brake
Standard	popup system
Loading quantities	1.836 units (40ft HC) 2.210 units (truck)



1/2 Dolly

Specifications

More info?



External	800 x 600 x 175,5 mm
Incremental height	158 mm
Weight	9,5 kg
Loading capacity	500 kg
Loading quantities	1.056 units per truck
Base	wheels
Options available	attachable handle
Standard	popup system brake
Loading quantities	880 units (40ft HC) 1.056 units (truck)



1/4 Pallet

Specifications

More info?



External	600 x 400 x 145 mm
Incremental height	60 mm (nested)
Weight	2,2 kg
Loading capacity	250 kg
Loading quantities	4.320 units (40ft HC) 5.200 units (truck)



1/2 Pallet

Specifications

More info?



External	800 x 600 x 165 mm
Incremental height	165 mm
Weight	7 kg
Loading capacity	500 kg
Loading quantities	1.012 units (40ft HC) 990 units (truck)



Tosca Asset IQ

More Visibility

Pinpoint hidden asset leaks and inefficiencies you may not know you have. Spot assets in unauthorized locations and measure utilization.

More Savings

Reduce asset losses, delays and penalties – and the time spent on manual RFID and barcode scanning.

More Control

One easy-to-use dashboard delivers cycle times, inbound/outbound movements and real-time locations. Improve forecasting and manage your assets efficiently.

How it works:



- 1 Select your asset type from our large portfolio of reusable pallets, bulk containers, and more.
- 2 Tosca works with you to determine the right IoT technology for your reusables.
- 3 Measure your supply chain effectiveness via real-time dashboards, alerts and reports.



Direct sales: Customization

Enhance your customers’ experience of your brand by selecting customised containers from a range of colours, designs and display options.*
*For minimum quantities.



Alternatives to direct sales: pooling solutions & rent

Pooling solutions

Select Tosca’s pooling solutions to be part of the circular economy and avoid the high up-front investment in purchasing new assets and maintaining your own assets. Pay only for what you need and have the right assets delivered to the right place at the right time.

- Tosca assets are delivered to you.
- After use, assets are collected and taken to our service centres where they are inspected, repaired if necessary and washed.

Rent

Tosca offers short and long-term crate, container and pallet rental with similar benefits to pooling.

- A variety of rental terms give you the flexibility you need
- Minimises risk and investment
- Assets can also be washed and serviced through Tosca





Performance at every turn

www.toscaltd.com • DirectSales@toscaltd.com

Benelux +32 (0)3 205 90 20

France +33 (0)582 880 973

Dach +49 (0)2383 919 422

Italy +39 039 642601

Iberia +34 915079467

UK +44 (0)1384 458686